

# Ceiling Pendant

astro

## General

Location:	Interior
Class:	cULus (Class I)
Location Rating:	Dry
Driver Required:	Mains 120V
Installation Orientation:	Ceiling Mount
Fitting Method:	4" Octagon Box
Main Material:	Metal - Mild Steel
Dimensions (mm):	H: 2584 W: 110 D: 110
Dimensions (inch):	H: 101.73 W: 4.33 D: 4.33
Cut Out Hole (mm/inch):	-
Recess Depth (mm/inch):	-
Fire Rating:	-
Cable Length (mm/inch):	2500/98.43
Gross Weight (lb):	2.04
Ada Compliant:	Yes - if installed in compliance with ADA 307.4
Ic Rating:	-

## Lamp

Light Source:	LED E26/Medium
Wattage:	12W Max
Lamp Included:	No
Maximum Lamp Length (mm/inch):	-
Luminous Flux (lm):	Lamp Dependent
Colour Temp (K):	Lamp Dependent
Cri (Ra):	Lamp Dependent
Macadam Ellipse:	Lamp Dependent
Tilt Adjustable Angle (°):	-
Rotation Adjustable Angle (°):	-
Average Lifetime (hrs):	Lamp Dependent
Beam Angle (°):	Lamp Dependent

## Electrical

Switched:	No
Dimmable:	Lamp Dependent
Dimming Method:	Lamp Dependent
Supply Frequency (Hz):	-
Driver/Ballast Voltage (V):	-
Driver Average Lifetime (hrs):	-
Efficacy (lm/W):	Lamp Dependent

## Additional Information:

Shade Included:	Shade Sold Separately
Shade/Diffuser Material:	-
Shade/Diffuser Finish:	-
F Mark:	-



Code: 1184039  
Finish: Matt Nickel



Code: 1184057  
Finish: Matt White



Code: 1184058  
Finish: Matt Black



Code: 1184059  
Finish: Bronze





To maintain this product to its best condition, please view our care and cleaning guidelines on the support section of the astro website.

Astro® is a registered trademark of astro lighting limited. Astro lighting's fixture designs and imagery are protected under U.S. And international intellectual property laws, and all rights to such designs and imagery are expressly reserved.

# Product Elevations

astro

Please note that some dimensions may vary slightly due to manufacturing tolerances, this includes cable entry and fixing holes.




# Compatible shades


astro




Camden 220




Curve Glass 220




Curve Glass 285




Duo 210




Flow 350



Flow 500



Tapered Round 400 Pleated



Tube 135

Please note that some dimensions may vary slightly due to manufacturing tolerances, this includes cable entry and fixing holes

Veuillez noter que certaines dimensions peuvent varier légèrement en raison des tolérances de fabrication, y compris l'entrée de câble et les trous de fixation.

Bitte beachten Sie, dass die Maße Fertigungstoleranzen unterliegen und daher in geringem Umfang von der angegebenen Größe abweichen können. Dies gilt auch für Kabeingänge und Befestigungslöcher.

Si prega notare che possono esserci piccole variazioni in alcune dimensioni dovute alle tolleranze di produzione, queste includono l'ingresso del cavo e i fori di fissaggio.